

1/7/2021

Safety Data Sheet

CAPTURE COATING™/MVTR-A1

Version: 1.4

Revised Date: 01/07/2021



Table of Contents

1. PRODUCT AND COMPANY IDENTIFICATION	2
2. HAZARDS IDENTIFICATION	2
3. COMPOSITION/INFORMATION ON INGREDIENTS	4
4. FIRST AID MEASURES General Advice	5
5. FIREFIGHTING MEASURES	6
6. ACCIDENTAL RELEASE MEASURES Personal Precautions	6
7. HANDLING AND STORAGE Precautions for Safe Handling	6
9. PHYSICAL AND CHEMICAL PROPERTIES	8
10. STABILITY AND REACTIVITY Chemical Stability	9
11. TOXICOLOGICAL INFORMATION Acute Toxicity Estimate (ATE)	10
12. ECOLOGICAL INFORMATION Toxicity (4-Chlorobenzotrifluoride).....	12
13. DISPOSAL CONSIDERATIONS Product.....	14
14. TRANSPORT INFORMATION DOT (US)	14
15. REGULATORY INFORMATION United States Inventory (TSCA 8b)	14
16. OTHER INFORMATION.....	15
Disclaimer	15

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier:	MVTR-A1
Other Product Names:	Capture Coating™, MVTR-A1
Brand:	Curran Biotech
Supplier:	Curran Biotech, Inc. Energy Research Park, 5000 Gulf Freeway, Building 5, Room 120/122, Houston, TX 77023, USA
Recommended Uses Restrictions on Use:	Aqueous Water Repellant for Non-Medical/Non-Surgical Fabrics/Textiles, Synthetic Fibers, Organic Fibers and Threads for HVAC Air-Filtration Media
Telephone:	+1 (888) 790-2468
Emergency Phone:	CHEMTEL Domestic: 1-800-255-3924 CHEMTEL International: +1 (813) 248-0585

2. HAZARDS IDENTIFICATION



GHS Classification

Skin irritation (Category 2), H315
 Skin sensitization (Category 1), H317
 Eye irritation (Category 2A), H319
 Serious eye damage/eye irritation (Category 2B), H320

GHS Label Elements (Including Precautionary Statements)

Signal Word	Warning
-------------	---------

Hazard Statements

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H320	Causes eye irritation.

Precautionary Statements

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P233	Keep container tightly closed.
P260	Do not breathe dust / fume / gas / mist / vapors / spray.
P261	Avoid breathing dust / fume / gas / mist / vapor / spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves / protective clothing / eye protection / face protection.
P301 + P310	IF SWALLOWED: Immediately call a POISONCENTER or doctor/physician.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P391	Collect spillage.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container in accordance with local/regional/national/international regulations.

Additional Precautionary Statements (Follow guidelines of NIOSH, ASHRAE, CDC, FDA, EPA)

Wash exposed areas thoroughly after handling as is the case when dealing with any chemicals not consumable or deemed safe by FDA for general consumption. Can be applied outdoors or in a well-ventilated area indoors. Do not eat, drink, or smoke while using this product as in keeping with any soaps, detergents or other chemicals as they are not consumables. Keep container tightly closed to prevent leaking, spilling and waste. Ground/bond container and receiving equipment. Take off clothing that has been contaminated with the product, best to rinse first with soap, hot water before putting it through a laundry wash before reuse. Do not drink, gargle or snort this product, if it gets into the mouth or nasal area rinse mouth and nasal passages thoroughly. Do not smoke, boil or inhale in any manner: Remove person who may have done so to fresh air and keep comfortable for breathing. If on skin (or hair): wash thoroughly with soap and hot water, then rinse skin with water/shower. Specific treatment (see FIRST AID MEASURES on the SDS). In case of fire: Use water spray, foam, dry-chemical or carbon dioxide to extinguish. Like with all chemicals that are non-flammable and non-combustible; store in a well-ventilated place. Keep cool. Keep container tightly closed. Keep locked up, prevent children from accessing the chemicals. Dispose of contents/container in accordance within the guidelines of local/regional regulations.

We are now living in a world where SARS-CoV-2 can be transferred through fomites (surfaces), droplets, spittle and exhalation coughing and sneezing. When working indoors, wear personal protective equipment at all times as the environment may be a risk factor beyond this data sheet.

HMIS Classification

Health Hazard: 1
 Flammability: 0
 Physical Hazards: 0

NFPA Rating

Health Hazard: 1
 Fire: 0
 Reactivity Hazard: 0

Hazards Not Otherwise Classified

May cause corneal damage following prolonged contact with the eye(s).

Percentage of Ingredients with Unknown Toxicity

Total Percentage: ≤5%

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Classification	Concentration
4-Chlorobenzotrifluoride		
CAS-No. 98-56-6 EC-No. 202-681-1	Flam. Liq. 3; Skin Sens. 1; Aquatic Acute 2; Aquatic Chronic 2; H226, H317, H401, H411	5-15%
Dimethyl Carbonate		
CAS-No. 616-38-6 EC-No. 210-478-4 Index-No. 607-013-00-6	Flam. Liq. 2: H225	5-8%
Methyl Acetate		
CAS-No. 79-20-9 EC-No. 201-185-2	Flam. Liq. 2: H225; Eye Damage 2: H319 STOT (SE) 3: H335 H336 EUH066	5-15%
Water		
CAS-No. 7732-18-5 EC-No. 231-791-2	Not classified.	>65%
Proprietary Compound(s)		
n/a	Eye Irrit. 2B, H320	≤1%
Proprietary Substance(s)		
n/a	n/a	5-15%

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. The specific chemical identities and percentages of concentration have been withheld as trade secrets.

4. FIRST AID MEASURES

General Advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of any spill zones or contaminated areas.

If Swallowed

As is the case with cleaners, soaps or any other chemicals in this classification: call hospital emergency room, or physician immediately. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

If Inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In Case of Skin Contact

Wash off with soap and plenty of hot water. If the user is suffering from a rash or has an allergic or some unusual reaction seek medical attention in this instance and consult a physician.

In Case of Eye Contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Always wear suitable glasses as a matter of good habit.

Most Important Symptoms (Acute and Delayed)

Upon excessive exposure (inhalation, dermal contact, contact with eyes, ingestion, snorting, gargling, smoking, mixing with other liquids for consumption), acute/delayed symptoms may include but are not limited to dizziness, nausea, fatigue, blurred vision, loss of motor skills, confusion, impaired judgement, and other common symptoms of inebriation typically associated with exposure to organic solvents or mixes of organic solvents and water. Any individual exhibiting signs of these symptoms should seek immediate medical attention in accordance with the guidelines presented in Section 2 (HAZARDS IDENTIFICATION) and Section 4 (FIRST AID MEASURES) of this document.

Immediate Medical Attention Required

IF SWALLOWED: Immediately call a doctor/ physician

Refer to Section 2 (HAZARDS IDENTIFICATION) and Section 4 (FIRST AID MEASURES) of this document for additional information.

5. FIREFIGHTING MEASURES

Conditions of Flammability

Not flammable.

Suitable Extinguishing Media

Use water spray, fire retardant foam, dry chemical or carbon dioxide in extreme conditions.

Special Protective Equipment for Firefighters

Wear self-contained breathing apparatus for fire-fighting if/when necessary.

Further Information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear respiratory protection. Avoid breathing vapors, mist or gas. Always ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas under extreme conditions and major spills.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and Materials for Containment and Cleaning Up

Contain spillage, and then collect with wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid contact with skin and eyes as is the case for any paints, sealers, waterproofers, detergents and soaps. Avoid inhalation of vapor or mist. Keep away from sources of ignition. No smoking. Take measures to prevent the build-up of electrostatic charge in extreme conditions.

Hygiene Measures

Wash hands and other exposed areas with mild soap and warm/hot water before eating, drinking or smoking, and when leaving the workplace.

Conditions for Safe Storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Incompatible with peroxides, oxidizing agents, acids, or bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with Workplace Control Parameters

Components	CAS-No.	Value	Control Parameters	Basis
Methyl Acetate	79-20-9	TWA	200 ppm	USA. Occupational Exposure Limits (OSHA) – Table Z-1 Limits for Air Contaminants
Remarks	The value in mg/m ³ is approximate.			
		TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Upper respiratory tract irritation; headache; eye irritation; ocular nerve damage			
		TWA	200 ppm 610 mg/m ³	USA. NIOSH Recommended Exposure Limits
		ST	250 ppm 760 mg/m ³	USA. NIOSH Recommended Exposure Limits
		TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Eye damage (degeneration of ganglion cells in the retina); headache, nausea; dizziness			
		STEL	250 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	200 ppm 610 mg/m ³	USA. NIOSH Recommended Exposure Limits
		ST	250 ppm 760 mg/m ³	USA. NIOSH Recommended Exposure Limits
		TWA	200 ppm 610 mg/m ³	USA. Occupational Exposure Limits (OSHA) – Table Z-1 Limits for Air Contaminants
	The value in mg/m ³ is approximate.			
		TWA	200 ppm 610 mg/m ³	USA. Occupational Exposure Limits (OSHA) – Table Z-1 Limits for Air Contaminants
		STEL	250 ppm 760 mg/m ³	USA. Occupational Exposure Limits (OSHA) – Table Z-1 Limits for Air Contaminants
		PEL	200 ppm 610 mg/m ³	California Permissible Exposure Limits for Chemical Contaminants (Title 8, Article 107)
Proprietary Substance(s)		TWA	10 ppm	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Eye & Upper Respiratory Tract Irritation Kidney Damage			
		TWA	10 ppm 85 mg/m ³	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	100 ppm 850 mg/m ³	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	10 ppm 85 mg/m ³	USA. NIOSH Recommended Exposure Limits
	The value in mg/m ³ is approximate.			

Appropriate Engineering Controls

To eliminate or reduce exposure to potential chemical and/or physical hazards while using this material, do NOT use/handle/store/transport/dispose/transfer material in any other way other than as specified in either this

document. Always use non-sparking materials when using/handling/storing/transporting/disposing/transferring material. Always store material in a tightly-sealed appropriate/approved storage vessel and properly stowed away in an approved fire-/flame-resistant, leak resistant storage area.

Personal Protective Equipment

Respiratory Protection

Standard respiratory equipment (face masks to respirators) as used for all forms of paints, sealers, waterproofer, detergents and soaps should at all times be used.

Where risk assessment has demonstrated that air-purifying respirators are appropriate; use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.

All face masks, respirators, breathing equipment should be tested and approved under appropriate government standards such as NIOSH (US), EPA, FDA, CDC or CEN (EU).

Hand Protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product, especially if the skin is torn or if a hand is used to wipe eyes, handle food stuffs, or placed in mouth without appropriate washing with soap and hot water. Dispose of gloves after use in accordance with applicable laws and good practices. Wash and dry hands afterward.

Eye Protection

Safety glasses, protective eyewear/face shields tested and approved under appropriate government standards such as NIOSH (US), EPA, FDA, CDC or EN 166(EU), should be used for eye protection.

Skin and Body Protection

Where appropriate, complete suit protection such as painters' suits or Tyvek (example) body suits can be used against chemicals, this can also include flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the substance at the specific workplace.

Hygiene Measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	Liquid/Microemulsion
Color	White

Safety Data

Theoretical VOC	<350 g/L
pH	6.5-6.7
Melting Point/Freezing Point	No Data Available
Boiling Point	No Data Available
Flash Point	No Data Available
Ignition Temperature	No Data Available
Decomposition Temperature	No Data Available
Auto-Ignition Temperature	No Data Available
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Vapor Pressure	No Data Available
Density	1.20 – 1.25 g/mL @ 25 °C (77 °F)
Viscosity	No Data Available
Water Solubility	No Data Available
Partition Coefficient	No Data Available
n-octanol/water	No Data Available
Relative Vapor Density	No Data Available
Odor	Mildly Pleasant/Aromatic
Odor Threshold	No Data Available
Evaporation Rate	No Data Available

10. STABILITY AND REACTIVITY

Chemical Stability

Stable under recommended storage conditions.

Reactivity

Flammable	Potentially combustible.
Stability	Stable material.
Hazardous Polymerization	Will not occur.

Possibility of Hazardous Reactions

Vapors could form explosive mixture with air under extreme circumstances.

Conditions to Avoid

Heat, flames, sparks, corrosive chemicals. Extremes of temperature and prolonged direct sunlight.

Materials to Avoid

Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids.

Hazardous Decomposition Products

Hazardous decomposition products formed under fire conditions. - Carbon oxides
Other decomposition products - No Data Available

11. TOXICOLOGICAL INFORMATION

Acute Toxicity Estimate (ATE)

ATE US (Oral)

- LD50 Oral – Rat – 13,000 mg/kg (4-Chlorobenzotrifluoride)
- LD50 Oral - Rat - male and female - > 5,000 mg/kg (Dimethyl Carbonate)
- LD50 Oral – Rat – 5,546 mg/kg
- LD50 Oral – Rat - >5,000 mg/kg
- LD50 Oral – Rat – male – 6,482 mg/kg (Methyl Acetate)

ATE US (Dermal)

- LD50 Dermal – Rabbit - > 3,300 mg/kg (4-Chlorobenzotrifluoride)
- LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg - No data available (Dimethyl Carbonate)
- LD50 Dermal – Rabbit - >5,050 mg/kg
- LD50 Dermal – Rat – male and female - >2,000 mg/kg (Methyl Acetate)

ATE US (Vapors)

- LC50 Inhalation – Rat – 4 h - > 32.03 mg/L (4-Chlorobenzotrifluoride)
- LC50 Inhalation - Rat - male and female - 4 h - > 5.36 mg/l (Dimethyl Carbonate)
- LC50 Inhalation – Rat - >2.19 mg/L

Skin Corrosion/Irritation

(4-Chlorobenzotrifluoride)

Skin – Rabbit

Result: No skin irritation

Remarks: No significant signs or symptoms indicative of any adverse health hazard are expected to occur as a result of skin exposure.

(Dimethyl Carbonate)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation

(Methyl Acetate)

Skin – Rabbit

Result: No skin irritation after 4 h (OECD Test Guideline 404)

Serious Eye Damage/Eye Irritation

Causes eye irritation.

(Dimethyl Carbonate)

Eyes - Rabbit

Result: No eye irritation

(Methyl Acetate)

Eyes – Rabbit

Result: *Irritating to eyes* (OECD Test Guideline 405 – Regulation (EC) No. 1272/2008, Annex VI)

Respiratory or Skin Sensitization

No significant signs or symptoms indicative of any adverse health hazard are expected to occur as a result of skin exposure. However, may cause sensitization by skin contact (Mouse – in vivo assay: OECD Test Guideline 429).

Germ Cell Mutagenicity

(4-Chlorobenzotrifluoride)

Ames Test

Salmonella typhimurium

Result: Not mutagenic in Ames Test,

Chromosome aberration test in vitro

(Dimethyl Carbonate)

Chromosome aberration test in vitro

Lymphocyte

Result: Negative

(Methyl Acetate)

Ames Test

Escherichia coli/Salmonella typhimurium

Result: Negative (OECD Test Guideline 474)

Rat – male and female – Bone marrow

Result: Negative

Carcinogenicity

This product is not classified.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible, or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive Toxicity

Not Classified

Teratogenicity

Not Classified

Specific Target Organ Toxicity - Single Exposure (Globally Harmonized System)

Not Classified

(Methyl Acetate)

May cause drowsiness or dizziness. - Central nervous system

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Acute inhalation toxicity - Possible damages - Irritation symptoms in the respiratory tract.

Specific Target Organ Toxicity - Repeated Exposure (Globally Harmonized System)

Not Classified

Aspiration Hazard

Not Classified

Additional Information

(Methyl Acetate)

Narcosis. This product is metabolized into formic acid. Humans and other primates metabolize formic acid more slowly than do rodents. Formic acid can build up in the body producing toxic effects possibly leading to death; therefore, data from studies in rodents may have limited relevance for human risk assessment. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption of toxic quantities:

Headache, Dizziness, Shortness of breath, Unconsciousness, narcosis Handle in accordance with good industrial hygiene and safety practice.

12. ECOLOGICAL INFORMATION Toxicity (4-Chlorobenzotrifluoride)

Toxicity to fish

Toxic to fish and aquatic invertebrates.

Semi-static test LC50 – Danio rerio (zebra fish) – 3 mg/L – 96 h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic

EC50 – Daphnia magna (Water flea) – 2 mg/L – 48 h (OECD Test Guideline 202)

invertebrates

Toxicity to algae NOEC – Pseudokirchneriella subcapitata (green algae) – 0.41 mg/L – 72 h
(OECD Test Guideline 201)

Toxicity (Dimethyl Carbonate)

Toxicity to fish Flow-through test LC50 - Danio rerio (zebra fish) - > 100 mg/l - 96 h

Toxicity to daphnia
and other aquatic
invertebrates Static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h

Toxicity to algae Static test EC50 - Pseudokirchneriella subcapitata (green algae) - > 100 mg/l –
72 h

Toxicity (Methyl Acetate)

Toxicity to fish Static test LC50 - Danio rerio (zebra fish) - 250 - 350 mg/l - 96 h

Toxicity to daphnia
and other aquatic
invertebrates Static test EC50 - Daphnia magna (Water flea) - 1,026.7 mg/l - 48 h

Toxicity to algae Static test ErC50 - Desmodesmus subspicatus (green algae) - > 120 mg/l -72h

Toxicity to bacteria Static test EC50 - Pseudomonas putida - 6,000 mg/l - 16 h (DIN 38412)

Persistence and Degradability

No Data Available.

(Dimethyl Carbonate)

Biodegradability aerobic - Exposure time 28 d
Result: 86 % - Readily biodegradable. (OECD Test Guideline 301C)

(Methyl Acetate)

Biodegradability aerobic - Exposure time 28 d
Result: 70 % - Readily biodegradable (OECD Test Guideline 301D)

Bioaccumulative Potential

Does Not Bioaccumulate

Mobility in Soil

No Data Available

Other Adverse Effects

Effect on Ozone Layer No Data Available

Effect on Global Warming No Data Available

Additional Ecological Information Avoid Release to the Environment

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is combustible. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated Packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

15. REGULATORY INFORMATION

United States Inventory (TSCA 8b)

All components are listed or exempted.

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right to Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right to Know Components

4-Chlorobenzotrifluoride (CAS No: 98-56-6)

Dimethyl Carbonate (CAS No: 616-38-6)

Methyl acetate (CAS No: 79-20-9)

New Jersey Right to Know Components

4-Chlorobenzotrifluoride (CAS No: 98-56-6)

Dimethyl Carbonate (CAS No: 616-38-6)

Methyl acetate (CAS No: 79-20-9)

California Prop. 65 Components

This product does not contain any chemical known to the State of California to cause cancer, birth defects, reproductive harm, or developmental toxicity.

16. OTHER INFORMATION

Additional Information

Copyright 2021, Curran Biotech, Inc. License granted to make unlimited paper copies for internal use only. This material safety data sheet was last modified on 01/07/2021. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Curran Biotech, Inc. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.curranbiotech.com for additional terms and conditions of sale.

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by Curran Biotech, Inc., and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.